





全生存率

Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio		Year
				IV, Random, 95% CI	95% CI	
Aoyama 2006	0.31	0.19	35.1%	1.36	[0.94, 1.98]	2006
Chang 2009	-0.92	0.31	28.1%	0.40	[0.22, 0.73]	2009
Brown 2016	-0.02	0.16	36.7%	0.98	[0.72, 1.34]	2016
<b>Total (95% CI)</b>			<b>100.0%</b>	<b>0.85</b>	<b>[0.48, 1.51]</b>	
<b>Heterogeneity: Tau<sup>2</sup> = 0.21; Chi<sup>2</sup> = 11.44, df = 2 (P = 0.003); I<sup>2</sup> = 83%</b>						
<b>Test for overall effect: Z = 0.54 (P = 0.59)</b>						



頭蓋内制御率

Study or Subgroup	SRS alone		SRS+WBI		Weight	Risk Ratio		Year
	Events	Total	Events	Total		M-H, Random, 95% CI	95% CI	
Aoyama 2006	40	67	23	65	41.2%	1.69	[1.15, 2.47]	2006
Chang 2009	22	30	7	28	25.6%	2.93	[1.49, 5.77]	2009
Brown 2016	51	103	14	91	33.2%	3.22	[1.91, 5.41]	2016
<b>Total (95% CI)</b>		<b>200</b>		<b>184</b>	<b>100.0%</b>	<b>2.41</b>	<b>[1.52, 3.81]</b>	
<b>Total events</b>	<b>113</b>		<b>44</b>					
<b>Heterogeneity: Tau<sup>2</sup> = 0.10; Chi<sup>2</sup> = 4.78, df = 2 (P = 0.09); I<sup>2</sup> = 58%</b>								
<b>Test for overall effect: Z = 3.75 (P = 0.0002)</b>								



高次機能障害

Study or Subgroup	SRS alone		SRS+WBI		Weight	Risk Ratio		Year
	Events	Total	Events	Total		M-H, Random, 95% CI	95% CI	
Chang 2009	4	20	7	11	32.7%	0.31	[0.12, 0.84]	2009
Brown 2016	40	63	44	48	67.3%	0.69	[0.56, 0.85]	2016
<b>Total (95% CI)</b>		<b>83</b>		<b>59</b>	<b>100.0%</b>	<b>0.53</b>	<b>[0.25, 1.15]</b>	
<b>Total events</b>	<b>44</b>		<b>51</b>					
<b>Heterogeneity: Tau<sup>2</sup> = 0.22; Chi<sup>2</sup> = 2.65, df = 1 (P = 0.10); I<sup>2</sup> = 62%</b>								
<b>Test for overall effect: Z = 1.60 (P = 0.11)</b>								

