



Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio		Year
				IV, Fixed, 95% CI	Year	
Hatscheck T	-0.1744	0.1445	36.3%	0.84	[0.63, 1.11]	2012
Lam SW	-0.0834	0.1282	46.2%	0.92	[0.72, 1.18]	2014
Lück HJ	0.0953	0.2084	17.5%	1.10	[0.73, 1.65]	2015
Total (95% CI)			100.0%	0.92	[0.77, 1.09]	

Heterogeneity: Chi² = 1.13, df = 2 (P = 0.57); I² = 0%
 Test for overall effect: Z = 0.98 (P = 0.33)




Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio		Year
				IV, Fixed, 95% CI	Year	
Hatscheck T	-0.1744	0.1272	38.1%	0.84	[0.65, 1.08]	2012
Lam SW	-0.5798	0.1221	41.4%	0.56	[0.44, 0.71]	2014
Lück HJ	0.0953	0.1733	20.5%	1.10	[0.78, 1.54]	2015
Total (95% CI)			100.0%	0.75	[0.64, 0.88]	

Heterogeneity: Chi² = 11.40, df = 2 (P = 0.003); I² = 82%
 Test for overall effect: Z = 3.65 (P = 0.0003)




Study or Subgroup	Capecitabine+その他の化学療法		Capecitabine		Weight	Risk Ratio		Year
	Events	Total	Events	Total		IV, Random, 95% CI	Year	
Hatscheck T	78	134	64	133	35.4%	1.21	[0.96, 1.52]	2012
Lam SW	91	156	70	156	38.3%	1.30	[1.04, 1.62]	2014
Lück HJ	57	111	55	116	26.3%	1.08	[0.83, 1.41]	2015
Total (95% CI)		401		405	100.0%	1.21	[1.05, 1.38]	
Total events	226		189					

Heterogeneity: Tau² = 0.00; Chi² = 1.09, df = 2 (P = 0.58); I² = 0%
 Test for overall effect: Z = 2.73 (P = 0.006)




Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio		Year
				IV, Fixed, 95% CI	Year	
Bachelot T	-0.4953	0.623	2.0%	0.61 [0.18, 2.07]	2011	
Seidman AD	-0.0305	0.1099	65.2%	0.97 [0.78, 1.20]	2011	
Luck HJ	0.0266	0.167	28.2%	1.03 [0.74, 1.42]	2013	
Fan Y	0.892	0.4157	4.6%	2.44 [1.08, 5.51]	2013	
Total (95% CI)			100.0%	1.02 [0.86, 1.21]		

Heterogeneity: Chi² = 5.30, df = 3 (P = 0.15); I² = 43%
 Test for overall effect: Z = 0.21 (P = 0.84)



Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio		Year
				IV, Fixed, 95% CI	Year	
Bachelot T	-0.1508	0.2478	9.9%	0.86 [0.53, 1.40]	2011	
Seidman AD	-0.0943	0.1115	49.0%	0.91 [0.73, 1.13]	2011	
Fan Y	0.0119	0.1295	36.3%	1.01 [0.79, 1.30]	2013	
Luck HJ	1.2384	0.3587	4.7%	3.45 [1.71, 6.97]	2013	
Total (95% CI)			100.0%	1.00 [0.86, 1.17]		

Heterogeneity: Chi² = 13.01, df = 3 (P = 0.005); I² = 77%
 Test for overall effect: Z = 0.02 (P = 0.98)



Study or Subgroup	カベシタビン+その他の化学療法		他剤+その他の化学療法		Weight	Risk Ratio		Year
	Events	Total	Events	Total		IV, Random, 95% CI	Year	
Bachelot T	21	33	17	35	24.6%	1.31 [0.85, 2.01]	2011	
Seidman AD	78	191	72	207	32.5%	1.17 [0.91, 1.51]	2011	
Luck HJ	79	168	69	165	33.0%	1.12 [0.88, 1.43]	2013	
Fan Y	4	26	17	27	10.0%	0.24 [0.09, 0.63]	2013	
Total (95% CI)		418		434	100.0%	1.02 [0.72, 1.44]		
Total events	182		175					

Heterogeneity: Tau² = 0.08; Chi² = 10.59, df = 3 (P = 0.01); I² = 72%
 Test for overall effect: Z = 0.10 (P = 0.92)

