

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																																																																																		
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																																																																																	
C	トラスツズマブ+タキサン併用療法	O	OS																																																																																																	
研究デザイン		RCT	文献数	1																																																																																																
コード		Perez EA 2017																																																																																																		
モデル	ランダム効果	方法	Inverse variance (RevMan5.4.1)																																																																																																	
効果指標	Hazard Ratio	統合値	0.86 (0.64 - 1.16) P=0.32																																																																																																	
効果指標	Risk Difference	統合値	-0.02 (-0.09 , 0.05) P=0.55																																																																																																	
フォレスト プロット	<table border="0"> <thead> <tr> <th colspan="5"></th> <th colspan="2">Hazard Ratio</th> <th colspan="2">Hazard Ratio</th> </tr> <tr> <th>Study or Subgroup</th> <th>log[Hazard Ratio]</th> <th>SE</th> <th>Weight</th> <th>IV, Fixed, 95% CI</th> <th colspan="2"></th> <th colspan="2">IV, Fixed, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>-0.1508</td> <td>0.1507</td> <td>100.0%</td> <td>0.86 [0.64, 1.16]</td> <td colspan="2"></td> <td colspan="2"> </td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td></td> <td>100.0%</td> <td>0.86 [0.64, 1.16]</td> <td colspan="2"></td> <td colspan="2"> </td> </tr> <tr> <td colspan="5">Heterogeneity: Not applicable</td> <td colspan="4">Test for overall effect: Z = 1.00 (P = 0.32)</td> </tr> </tbody> </table> <table border="0"> <thead> <tr> <th colspan="6"></th> <th colspan="2">Risk Difference</th> <th colspan="2">Risk Difference</th> </tr> <tr> <th>Study or Subgroup</th> <th>Experimental Events</th> <th>Control Events</th> <th>Total</th> <th>Weight</th> <th>M-H, Random, 95% CI</th> <th colspan="2"></th> <th colspan="2">M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>116</td> <td>123</td> <td>365</td> <td>100.0%</td> <td>-0.02 [-0.09, 0.05]</td> <td colspan="2"></td> <td colspan="2"> </td> </tr> <tr> <td>Total (95% CI)</td> <td>116</td> <td>123</td> <td>365</td> <td>100.0%</td> <td>-0.02 [-0.09, 0.05]</td> <td colspan="2"></td> <td colspan="2"> </td> </tr> <tr> <td colspan="6">Heterogeneity: Not applicable</td> <td colspan="4">Test for overall effect: Z = 0.60 (P = 0.55)</td> </tr> </tbody> </table>										Hazard Ratio		Hazard Ratio		Study or Subgroup	log[Hazard Ratio]	SE	Weight	IV, Fixed, 95% CI			IV, Fixed, 95% CI		MARIANNE	-0.1508	0.1507	100.0%	0.86 [0.64, 1.16]					Total (95% CI)			100.0%	0.86 [0.64, 1.16]					Heterogeneity: Not applicable					Test for overall effect: Z = 1.00 (P = 0.32)										Risk Difference		Risk Difference		Study or Subgroup	Experimental Events	Control Events	Total	Weight	M-H, Random, 95% CI			M-H, Random, 95% CI		MARIANNE	116	123	365	100.0%	-0.02 [-0.09, 0.05]					Total (95% CI)	116	123	365	100.0%	-0.02 [-0.09, 0.05]					Heterogeneity: Not applicable						Test for overall effect: Z = 0.60 (P = 0.55)			
					Hazard Ratio		Hazard Ratio																																																																																													
Study or Subgroup	log[Hazard Ratio]	SE	Weight	IV, Fixed, 95% CI			IV, Fixed, 95% CI																																																																																													
MARIANNE	-0.1508	0.1507	100.0%	0.86 [0.64, 1.16]																																																																																																
Total (95% CI)			100.0%	0.86 [0.64, 1.16]																																																																																																
Heterogeneity: Not applicable					Test for overall effect: Z = 1.00 (P = 0.32)																																																																																															
						Risk Difference		Risk Difference																																																																																												
Study or Subgroup	Experimental Events	Control Events	Total	Weight	M-H, Random, 95% CI			M-H, Random, 95% CI																																																																																												
MARIANNE	116	123	365	100.0%	-0.02 [-0.09, 0.05]																																																																																															
Total (95% CI)	116	123	365	100.0%	-0.02 [-0.09, 0.05]																																																																																															
Heterogeneity: Not applicable						Test for overall effect: Z = 0.60 (P = 0.55)																																																																																														
ファンネル プロット	<p>コメント：OSに有意な差は認めなかった。</p>																																																																																																			
その他の解析					コメント：																																																																																															
メタリグ レッション																																																																																																				
感度分析																																																																																																				

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																							
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																						
C	トラスツズマブ+タキサン併用療法	O	PFS																																						
研究デザイン	RCT	文献数	1																																						
コード	Perez EA 2017																																								
モデル	ランダム効果	方法	Inverse variance (RevMan5.4.1)																																						
効果指標	Hazard Ratio	統合値	0.91 (0.73 - 1.13) P=0.40																																						
効果指標	Risk Difference	統合値	0.01 (-0.06 , 0.08) P=0.77																																						
フォレスト プロット	<table border="1"> <thead> <tr> <th>Study or Subgroup</th> <th>log[Hazard Ratio]</th> <th>SE</th> <th>Weight</th> <th>Hazard Ratio IV, Fixed, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>-0.0943</td> <td>0.1125</td> <td>100.0%</td> <td>0.91 [0.73, 1.13]</td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td></td> <td>100.0%</td> <td>0.91 [0.73, 1.13]</td> </tr> </tbody> </table> <p>Heterogeneity: Not applicable Test for overall effect: Z = 0.84 (P = 0.40)</p> <table border="1"> <thead> <tr> <th>Study or Subgroup</th> <th>Experimental Events</th> <th>Experimental Total</th> <th>Control Events</th> <th>Control Total</th> <th>Weight</th> <th>Risk Difference M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>236</td> <td>367</td> <td>231</td> <td>365</td> <td>100.0%</td> <td>0.01 [-0.06, 0.08]</td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>367</td> <td>231</td> <td>365</td> <td>100.0%</td> <td>0.01 [-0.06, 0.08]</td> </tr> </tbody> </table> <p>Total events: 236 (Experimental), 231 (Control) Heterogeneity: Not applicable Test for overall effect: Z = 0.29 (P = 0.77)</p>					Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio IV, Fixed, 95% CI	MARIANNE	-0.0943	0.1125	100.0%	0.91 [0.73, 1.13]	Total (95% CI)			100.0%	0.91 [0.73, 1.13]	Study or Subgroup	Experimental Events	Experimental Total	Control Events	Control Total	Weight	Risk Difference M-H, Random, 95% CI	MARIANNE	236	367	231	365	100.0%	0.01 [-0.06, 0.08]	Total (95% CI)		367	231	365	100.0%	0.01 [-0.06, 0.08]
Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio IV, Fixed, 95% CI																																					
MARIANNE	-0.0943	0.1125	100.0%	0.91 [0.73, 1.13]																																					
Total (95% CI)			100.0%	0.91 [0.73, 1.13]																																					
Study or Subgroup	Experimental Events	Experimental Total	Control Events	Control Total	Weight	Risk Difference M-H, Random, 95% CI																																			
MARIANNE	236	367	231	365	100.0%	0.01 [-0.06, 0.08]																																			
Total (95% CI)		367	231	365	100.0%	0.01 [-0.06, 0.08]																																			
ファンネル プロット	<p>コメント：PFSに有意な差は認めなかった。</p>																																								
その他の解析				コメント：																																					
メタリグ レッション																																									
感度分析																																									

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																																																																																															
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																																																																																														
C	トラスツズマブ+タキサン併用療法	O	AEs (grade3以上)																																																																																																														
研究デザイン		RCT	文献数	1																																																																																																													
コード		Perez EA 2017																																																																																																															
モデル	ランダム効果	方法	Mantel-Haenszel (RevMan5.4.1)																																																																																																														
効果指標	Risk Ratio	統合値	0.84 (0.72 - 0.97) P=0.02																																																																																																														
効果指標	Risk Difference	統合値	-0.09 (-0.16 , -0.01) P=0.02																																																																																																														
フォレスト プロット		<table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Ratio</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>164</td> <td>361</td> <td>191</td> <td>353</td> <td>100.0%</td> <td>0.84 [0.72, 0.97]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>0.84 [0.72, 0.97]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 164 (Experimental), 191 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 2.31 (P = 0.02)</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Difference</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>164</td> <td>361</td> <td>191</td> <td>353</td> <td>100.0%</td> <td>-0.09 [-0.16, -0.01]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>-0.09 [-0.16, -0.01]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 164 (Experimental), 191 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 2.33 (P = 0.02)</td> </tr> </tbody> </table>				Study or Subgroup	Experimental		Control		Weight	Risk Ratio		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	164	361	191	353	100.0%	0.84 [0.72, 0.97]		Total (95% CI)		361		353	100.0%	0.84 [0.72, 0.97]		Total events: 164 (Experimental), 191 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 2.31 (P = 0.02)								Study or Subgroup	Experimental		Control		Weight	Risk Difference		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	164	361	191	353	100.0%	-0.09 [-0.16, -0.01]		Total (95% CI)		361		353	100.0%	-0.09 [-0.16, -0.01]		Total events: 164 (Experimental), 191 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 2.33 (P = 0.02)							
Study or Subgroup	Experimental		Control		Weight		Risk Ratio																																																																																																										
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	164	361	191	353	100.0%	0.84 [0.72, 0.97]																																																																																																											
Total (95% CI)		361		353	100.0%	0.84 [0.72, 0.97]																																																																																																											
Total events: 164 (Experimental), 191 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 2.31 (P = 0.02)																																																																																																																	
Study or Subgroup	Experimental		Control		Weight	Risk Difference																																																																																																											
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	164	361	191	353	100.0%	-0.09 [-0.16, -0.01]																																																																																																											
Total (95% CI)		361		353	100.0%	-0.09 [-0.16, -0.01]																																																																																																											
Total events: 164 (Experimental), 191 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 2.33 (P = 0.02)																																																																																																																	
ファンネル プロット		<p>コメント：grade3以上の有害事象の発現はT-DM1群に有意に少ない</p>																																																																																																															
その他の解析				コメント：																																																																																																													
メタリグ レッション																																																																																																																	
感度分析																																																																																																																	

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																																																																																															
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																																																																																														
C	トラスツズマブ+タキサン併用療法	O	下痢 (all grade)																																																																																																														
研究デザイン		RCT	文献数	1																																																																																																													
コード		Perez EA 2017																																																																																																															
モデル	ランダム効果	方法	Mantel-Haenszel (RevMan5.4.1)																																																																																																														
効果指標	Risk Ratio	統合値	0.52 (0.42, 0.64) P<0.00001																																																																																																														
効果指標	Risk Difference	統合値	*-0.24 (-0.30, -0.17) P<0.00001																																																																																																														
フォレスト プロット	<table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Ratio</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>91</td> <td>361</td> <td>172</td> <td>353</td> <td>100.0%</td> <td>0.52 [0.42, 0.64]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>0.52 [0.42, 0.64]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 91 (Experimental), 172 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 6.23 (P < 0.00001)</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Difference</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>91</td> <td>361</td> <td>172</td> <td>353</td> <td>100.0%</td> <td>-0.24 [-0.30, -0.17]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>-0.24 [-0.30, -0.17]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 91 (Experimental), 172 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 6.71 (P < 0.00001)</td> </tr> </tbody> </table>					Study or Subgroup	Experimental		Control		Weight	Risk Ratio		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	91	361	172	353	100.0%	0.52 [0.42, 0.64]		Total (95% CI)		361		353	100.0%	0.52 [0.42, 0.64]		Total events: 91 (Experimental), 172 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 6.23 (P < 0.00001)								Study or Subgroup	Experimental		Control		Weight	Risk Difference		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	91	361	172	353	100.0%	-0.24 [-0.30, -0.17]		Total (95% CI)		361		353	100.0%	-0.24 [-0.30, -0.17]		Total events: 91 (Experimental), 172 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 6.71 (P < 0.00001)							
Study or Subgroup	Experimental		Control		Weight		Risk Ratio																																																																																																										
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	91	361	172	353	100.0%	0.52 [0.42, 0.64]																																																																																																											
Total (95% CI)		361		353	100.0%	0.52 [0.42, 0.64]																																																																																																											
Total events: 91 (Experimental), 172 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 6.23 (P < 0.00001)																																																																																																																	
Study or Subgroup	Experimental		Control		Weight	Risk Difference																																																																																																											
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	91	361	172	353	100.0%	-0.24 [-0.30, -0.17]																																																																																																											
Total (95% CI)		361		353	100.0%	-0.24 [-0.30, -0.17]																																																																																																											
Total events: 91 (Experimental), 172 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 6.71 (P < 0.00001)																																																																																																																	
ファンネル プロット	<p>コメント：下痢 (all grade) の発現はT-DM1群に有意に少ない</p>																																																																																																																
その他の解析					コメント：																																																																																																												
メタリグ レッション																																																																																																																	
感度分析																																																																																																																	

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																																																																																															
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																																																																																														
C	トラスツズマブ+タキサン併用療法	O	血小板減少 (grade3以上)																																																																																																														
研究デザイン		RCT	文献数	1																																																																																																													
コード		Perez EA 2017																																																																																																															
モデル	ランダム効果	方法	Mantel-Haenszel (RevMan5.4.1)																																																																																																														
効果指標	Risk Ratio	統合値	42.96 (2.8 - 753.78) P=0.007																																																																																																														
効果指標	Risk Ratio	統合値	9.78 (3.54 - 27.04) P<0.0001																																																																																																														
フォレスト プロット	<table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Ratio</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>23</td> <td>361</td> <td>0</td> <td>353</td> <td>100.0%</td> <td>45.96</td> <td>[2.80, 753.78]</td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>45.96</td> <td>[2.80, 753.78]</td> </tr> <tr> <td colspan="8">Total events: 23 (Experimental), 0 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 2.68 (P = 0.007)</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Difference</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>23</td> <td>361</td> <td>0</td> <td>353</td> <td>100.0%</td> <td>0.06</td> <td>[0.04, 0.09]</td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>0.06</td> <td>[0.04, 0.09]</td> </tr> <tr> <td colspan="8">Total events: 23 (Experimental), 0 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 4.86 (P < 0.00001)</td> </tr> </tbody> </table>					Study or Subgroup	Experimental		Control		Weight	Risk Ratio		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	23	361	0	353	100.0%	45.96	[2.80, 753.78]	Total (95% CI)		361		353	100.0%	45.96	[2.80, 753.78]	Total events: 23 (Experimental), 0 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 2.68 (P = 0.007)								Study or Subgroup	Experimental		Control		Weight	Risk Difference		Events	Total	Events	Total	M-H, Random, 95% CI	M-H, Random, 95% CI	MARIANNE	23	361	0	353	100.0%	0.06	[0.04, 0.09]	Total (95% CI)		361		353	100.0%	0.06	[0.04, 0.09]	Total events: 23 (Experimental), 0 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 4.86 (P < 0.00001)							
Study or Subgroup	Experimental		Control		Weight		Risk Ratio																																																																																																										
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	23	361	0	353	100.0%	45.96	[2.80, 753.78]																																																																																																										
Total (95% CI)		361		353	100.0%	45.96	[2.80, 753.78]																																																																																																										
Total events: 23 (Experimental), 0 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 2.68 (P = 0.007)																																																																																																																	
Study or Subgroup	Experimental		Control		Weight	Risk Difference																																																																																																											
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI																																																																																																										
MARIANNE	23	361	0	353	100.0%	0.06	[0.04, 0.09]																																																																																																										
Total (95% CI)		361		353	100.0%	0.06	[0.04, 0.09]																																																																																																										
Total events: 23 (Experimental), 0 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 4.86 (P < 0.00001)																																																																																																																	
ファンネル プロット	<p>コメント：grade3以上の血小板減少の発現はT-DM1群に有意に多い</p>																																																																																																																
その他の解析					コメント：																																																																																																												
メタリグ レッション																																																																																																																	
感度分析																																																																																																																	

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																																																																																																															
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																																																																																																														
C	トラスツズマブ+タキサン併用療法	O	肝機能異常																																																																																																														
研究デザイン		RCT	文献数	1																																																																																																													
コード		Perez EA 2017																																																																																																															
モデル	ランダム効果	方法	Mantel-Haenszel (RevMan5.4.1)																																																																																																														
効果指標	Risk Ratio	統合値	9.78 (3.54 - 27.04) P<0.0001																																																																																																														
効果指標	Risk Ratio	統合値	0.10 (0.07 , 0.13) P<0.00001																																																																																																														
フォレスト プロット		<table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Ratio</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>Risk Ratio M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>40</td> <td>361</td> <td>4</td> <td>353</td> <td>100.0%</td> <td>9.78 [3.54, 27.04]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>9.78 [3.54, 27.04]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 40 (Experimental), 4 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 4.39 (P < 0.0001)</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th rowspan="2">Study or Subgroup</th> <th colspan="2">Experimental</th> <th colspan="2">Control</th> <th rowspan="2">Weight</th> <th colspan="2">Risk Difference</th> </tr> <tr> <th>Events</th> <th>Total</th> <th>Events</th> <th>Total</th> <th>M-H, Random, 95% CI</th> <th>Risk Difference M-H, Random, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>40</td> <td>361</td> <td>4</td> <td>353</td> <td>100.0%</td> <td>0.10 [0.07, 0.13]</td> <td></td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td>361</td> <td></td> <td>353</td> <td>100.0%</td> <td>0.10 [0.07, 0.13]</td> <td></td> </tr> <tr> <td colspan="8">Total events: 40 (Experimental), 4 (Control)</td> </tr> <tr> <td colspan="8">Heterogeneity: Not applicable</td> </tr> <tr> <td colspan="8">Test for overall effect: Z = 5.70 (P < 0.00001)</td> </tr> </tbody> </table>				Study or Subgroup	Experimental		Control		Weight	Risk Ratio		Events	Total	Events	Total	M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	MARIANNE	40	361	4	353	100.0%	9.78 [3.54, 27.04]		Total (95% CI)		361		353	100.0%	9.78 [3.54, 27.04]		Total events: 40 (Experimental), 4 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 4.39 (P < 0.0001)								Study or Subgroup	Experimental		Control		Weight	Risk Difference		Events	Total	Events	Total	M-H, Random, 95% CI	Risk Difference M-H, Random, 95% CI	MARIANNE	40	361	4	353	100.0%	0.10 [0.07, 0.13]		Total (95% CI)		361		353	100.0%	0.10 [0.07, 0.13]		Total events: 40 (Experimental), 4 (Control)								Heterogeneity: Not applicable								Test for overall effect: Z = 5.70 (P < 0.00001)							
Study or Subgroup	Experimental		Control		Weight		Risk Ratio																																																																																																										
	Events	Total	Events	Total		M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI																																																																																																										
MARIANNE	40	361	4	353	100.0%	9.78 [3.54, 27.04]																																																																																																											
Total (95% CI)		361		353	100.0%	9.78 [3.54, 27.04]																																																																																																											
Total events: 40 (Experimental), 4 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 4.39 (P < 0.0001)																																																																																																																	
Study or Subgroup	Experimental		Control		Weight	Risk Difference																																																																																																											
	Events	Total	Events	Total		M-H, Random, 95% CI	Risk Difference M-H, Random, 95% CI																																																																																																										
MARIANNE	40	361	4	353	100.0%	0.10 [0.07, 0.13]																																																																																																											
Total (95% CI)		361		353	100.0%	0.10 [0.07, 0.13]																																																																																																											
Total events: 40 (Experimental), 4 (Control)																																																																																																																	
Heterogeneity: Not applicable																																																																																																																	
Test for overall effect: Z = 5.70 (P < 0.00001)																																																																																																																	
ファンネル プロット		<p>コメント：肝機能異常の発現はT-DM1群に有意に多くなる</p>																																																																																																															
その他の解析				コメント：																																																																																																													
メタリグ レッション																																																																																																																	
感度分析																																																																																																																	

【SR-10 メタアナリシス】

CQ		HER2陽性転移・再発乳癌に対する一次治療として、トラスツズマブ エムタンシンは推奨されるか？																		
P	HER2陽性転移・再発乳癌	I	T-DM1単独療法																	
C	トラスツズマブ+タキサン併用療法	O	QOL																	
研究デザイン	RCT	文献数	1																	
コード	Perez EA 2017																			
モデル	ランダム効果	方法	Mantel-Haenszel (RevMan5.4.1)																	
効果指標	Hazard Ratio	統合値	0.70 (0.57 - 0.86) P=0.0007																	
フォレスト プロット	<table border="1"> <thead> <tr> <th>Study or Subgroup</th> <th>log[Hazard Ratio]</th> <th>SE</th> <th>Weight</th> <th>Hazard Ratio IV, Fixed, 95% CI</th> </tr> </thead> <tbody> <tr> <td>MARIANNE</td> <td>-0.3567</td> <td>0.1048</td> <td>100.0%</td> <td>0.70 [0.57, 0.86]</td> </tr> <tr> <td>Total (95% CI)</td> <td></td> <td></td> <td>100.0%</td> <td>0.70 [0.57, 0.86]</td> </tr> </tbody> </table> <p>Heterogeneity: Not applicable Test for overall effect: Z = 3.40 (P = 0.0007)</p>					Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio IV, Fixed, 95% CI	MARIANNE	-0.3567	0.1048	100.0%	0.70 [0.57, 0.86]	Total (95% CI)			100.0%	0.70 [0.57, 0.86]
	Study or Subgroup	log[Hazard Ratio]	SE	Weight	Hazard Ratio IV, Fixed, 95% CI															
MARIANNE	-0.3567	0.1048	100.0%	0.70 [0.57, 0.86]																
Total (95% CI)			100.0%	0.70 [0.57, 0.86]																
コメント：QOLは有意にT-DM1群が良好																				
ファンネル プロット	コメント：																			
	コメント：																			
その他の解析					コメント：															
メタリグ レッション																				
感度分析																				